

# Stephen K. Aoki, MD

University Orthopedic Center & Primary Children's Medical Center

## Meniscus Tear (Knee): Meniscus Repair vs. Meniscectomy

#### Surgery:

- 0.5-2 Hours Long
- Same Day Surgery
- Anesthesia may offer & recommend a nerve block for pain control

#### **Surgical Goals:**

- Repair Meniscus tissue if healthy
- Trim meniscus tissue if unrepairable
- Decrease Pain/Improve Function

### **General Timeline after Surgery for Meniscus Repair:**

- 0-1 week Post-Op: Toe touch weight bearing with crutches. In immobilizer brace in full extension. Okay to begin 0-90 degrees flexion for range of motion.
  - 1-6 weeks Post-Op: Slowly increase to full weight bearing; crutches as needed. Discontinue brace. Do not flex the knee past 90 degrees with weight bearing and non-weight bearing activity.
    - Start formal Physical Therapy 2 weeks after surgery date

(Find a physical therapist that's close to home and covered by insurance)

- 6-8 weeks Post-Op: Wean from crutches until full weight bearing. Full range of motion okay when not weight bearing, however still avoid any squatting past 90 degrees.
  - 8-12 weeks Post-Op: Focus on strength and balance exercises. No range of motion restrictions. Gradually increase return to full activities between 3-6 months post-op. Don't push through pain.
- Typical Post-Op Appointments: 2 weeks, 3 months, 6 months, and 1 year out from surgery

\*Changes to timeline may occur if other issues are found during surgery \*

#### **General Timeline after Surgery for Meniscectomy:**

Full range of motion. Full weight bearing. Advance activity as tolerated. Decrease swelling. No PT necessary.

### **Dr. Aoki's Team Contact Information:** FOR MORE INFORMATION VISIT WWW.AOKIMD.COM

Clinic/Pre & Post-Op Questions

Clinic/Appointment Questions

Surgery Scheduling

Phone: 801-587-2557

Phone: 801-587-7487

Primary Children's: 801-662-5607

Email: reed.omdal@utah.com

Email: angel.waddoups@utah.com

UUOC: 801-587-7187

Clinic Fax Number: 801-587-3990